HikCentral FocSign V2.0.0

Product Comparison Between Free and Full Version

About this Document

Pictures, charts, images and all other information hereinafter are for description and explanation only. The information contained in the Document is subject to change, without notice, due to updates or other reasons. Please use this Document with the guidance and assistance of professionals trained in supporting the Product.

Capability			Free Version (V2.0)	Full Version (V2.0)
Performance / Max. Access Number			5 Channels	2,048 Channels
Users Logged In Simultaneously			4	100
Digital Signage				
Content Creation	Quick Release	Supports quickly creating contents by uploading pictures or videos from the local PC, and releasing the contents to the devices.	√	√
	Template Library	Supports creating contents based on layout templates and content templates, and releasing the contents to the devices.	√	√
	My Program	Supported material types: picture, video, audio, document, App, clock, countdown, weather, live video, and webpage.	√	√
		Other supported material type: data view (table, chart, dynamic picture, and dynamic text).	×	√
		Supported program types: video wall program and single-sided program.	×	√
Content Schedule	Ordinary Schedule	Supports setting playing schedules, including playing by day, playing by week, custom, playing in loop, and default schedule.	√	√
	Cut-In Schedule	Supports cutting in programs and text messages.	√	√
Content Review			√	√
Release Records			√	√
Material Library	Data Source		×	√
	Others		√	√
Display Screen Management				
Device Control	Device Control	Supports opening/closing screens and restarting devices.	√	√
		Supports playing/stopping contents, stopping cut-in, and clearing playing contents.	√	√
		Supports setting volume and timed startup/shutdown.	√	√
		Others (restoring factory settings, remote debugging, exporting log).	√	√
		Supports creating combined control command.	×	√
		Supports remote desktop control for interactive flat panels.	√	√
Device Management	Adding/Editing/Deleting Device	Supports adding, editing, and deleting devices.	√	√
	Device Remote Configuration	Supported operations for the digital signage terminal: batch copying parameters, screen display settings (brightness, boot logo, screen direction, unlocking screen settings), volume schedule settings.	√	√
		Supported operations for the interactive flat panel: batch copying parameters, screen display settings (brightness, unlocking screen settings, wakeup strategy, switching signal source), and forbidding App installation.	√	√
		Basic configuration: time settings, timed startup/shutdown, maintenance.	√	√
	pStor	External pStor.	√	√
	Area	Supports managing devices in areas.	√	√
	Device Firmware Upgrade	Supports upgrading device firmware remotely.	√	√
	Video Wall Configuration	Supports adding, editing, and deleting video walls.	×	√
Application Management	Uploading and Applying Applications	Supports uploading applications (apk.) to the platform and applying them to the interactive flat panels.	×	√
	Viewing Device Applications	Supports viewing the application list on the specific device.	×	√
	Batch Installation and Uninstallation	Supports batch uninstalling the applications on the specific device.	×	√
Data Statistics	Flat Panel Usage Statistics	Supports viewing and exporting daily/weekly/monthly/customized flat panel usage statistics.	×	√